## **Dynamic**Health™

https://www.dynahealth.com/skills/t1585330762233-teaching-patients-about-covid-19-coronavirus

**Patient Instruction Skills** 

## Teaching Patients About COVID-19 (Coronavirus)

## Procedure

## PROCEDURE STEPS

- 1. Develop a comprehensive teaching plan tailored to specific learning needs and divided into segments to avoid overwhelming patient.<sup>7</sup>
- 2. Provide timely, relevant, individualized education about COVID-19 infection. Use:
  - Simple, nonmedical language all patients can understand 2 9 10
  - <u>High-quality teaching tools</u> that are aligned with learning characteristics and support <u>health</u> literacy<sup>Z 9 11</sup>
  - Appropriate teaching/learning strategies <sup>7</sup> <sup>9</sup>
- 3. Explain COVID-19 virus is similar to common cold and describe its transmission, including how it:
  - Spreads via respiratory droplet (cough or sneeze) and during the prodromal (presymptomatic) period<sup>12</sup> 13 14
  - Lives on surfaces for hours to days, but it is unclear if the virus can be transmitted this way  $\frac{15}{2}$
  - Has an average <u>incubation period</u> of about 2-14 days<sup>16</sup>
  - May be spread by asymptomatic carriers<sup>2</sup>
- 4. Describe typical <u>signs/symptoms of COVID-19</u>. Instruct patients to seek emergency care or to contact health care provider immediately if they develop <u>signs of severe COVID-19 infection</u>.
- 5. Describe diagnostic testing that may be ordered, including <u>reverse transcriptase polymerase chain</u> <u>reaction (RT-PCR)</u> and types of specimens collected for test, including: 16
  - Upper respiratory specimens using a nasal and/or oropharyngeal swab
  - Sputum, if productive cough is present
  - Bronchoalveolar samples, if patient is on a ventilator
  - Other tests include blood tests, chest x-ray, or chest CT scan.<sup>2</sup>

- 6. Explain results are typically available in 4-6 hrs.
- 7. Instruct patients with <u>suspected exposure</u> to take steps to <u>self-quarantine</u> for 14 days if either of the following criteria are met: 16 17
  - Recent proximal exposure (6 feet or 2 meters) to someone suspected of or diagnosed with COVID-19, including health care providers
  - Return from a country with a level 3 travel advisory
- 8. Educate patients about <u>how to self-isolate</u> if they are asymptomatic or have mild symptoms and to treat symptoms at home per clinician order. If <u>signs of severe infection</u> develop, instruct to call treating clinician immediately.
- 9. Instruct patients with suspected or probable infection to isolate until either of the following conditions are met:  $\frac{18}{19}$ 
  - 1-2 Negative RT-PCR test result(s) are returned, depending on clinician order.
  - Fever and symptoms have been resolved for at least 72 hours (without medication) **and** 7 days have passed since symptoms began.
- 10. Instruct patients with <u>positive infection</u> to isolate until either of the following conditions are met:  $\frac{18}{19}$ 
  - Fever and symptoms have resolved **and** 2 negative RT-PCR tests taken more than 24 hours apart are returned.
  - Fever and symptoms have been resolved for at least 72 hours (without medication) **and** at least 7 days have passed since symptoms began.
- 11. Review <u>risk factors for complications of COVID-19 infection</u>. <sup>1</sup> <sup>3</sup> <sup>4</sup> <sup>16</sup> <sup>20</sup> <sup>21</sup>
- 12. Explain <u>treatments for COVID-19</u>. At this time, steroid medications, such as prednisone, and NSAIDS, such as ibuprofen, are to be avoided.  $\frac{3}{4}$   $\frac{4}{5}$   $\frac{13}{22}$   $\frac{23}{23}$
- 13. Describe techniques to prevent disease spread to others, including:
  - Practicing proper hand hygiene 16
  - Social distancing
  - Cough etiquette
  - Cleaning/disinfecting the home 15
- 14. Offer referrals to online counseling therapy or support groups to help manage stress and alleviate anxiety.

Published by EBSCO Information Services. Copyright © 2020, EBSCO Information Services. All rights reserved. No part of this may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without permission.

EBSCO Information Services accepts no liability for advice or information given herein or errors/omissions in the text. It is merely intended as a general informational overview of the subject for the healthcare professional.